

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2015 Version number 11 Revision: 15.09.2015

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · Product identifier
- · Trade name: Polyurethane Foam Cleaner
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Remover
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

JCP Construction Products Unit 14, Teddington Industrial Estate Teddington, Middlesex. TW11 9BQ

Tel: +44 (0)208 943 1800 Fax: +44 (0)208 943 1140

- Further information obtainable from: jcpenquiries@owlett-jaton.com www.jcpconstructionproducts.com
- · Emergency telephone number: +44 (0)208 943 1800 8.30am-5.00pm Monday to Friday

### **SECTION 2: Hazards identification**

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS07

Eye Irrit. 2 H319

Causes serious eye irritation.

STOT SE 3 H336

May cause drowsiness or dizziness.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- Hazard-determining components of labelling:

acetone

ethyl acetate

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 2)



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2015 Version number 11 Revision: 15.09.2015

Trade name: Polyurethane Foam Cleaner

(Contd. of page 1)

#### · Precautionary statements

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### Additional information:

Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Do not spray on an open flame or other ignition source.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

EUH066 Repeated exposure may cause skin dryness or cracking.

- Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

- \* Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
	acetone  Stam. Liq. 2, H225; Stepe Irrit. 2, H319; STOT SE 3,	19.0-34.0%
	H336	
CAS: 141-78-6 EINECS: 205-500-4 Reg.nr.: 01-2119475103-46-xxxx	ethyl acetate  Flam. Liq. 2, H225;  Eye Irrit. 2, H319; STOT SE 3, H336	19.0-34.0%
	propan-2-ol Flam. Liq. 2, H225; Use Irrit. 2, H319; STOT SE 3, H336	9.0-19.0%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-21194869440-21-xxxx	propane Flam. Gas 1, H220; Press. Gas C, H280	<10.0%
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-31-xxxx	butane  Flam. Gas 1, H220; Press. Gas C, H280	<10.0%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane  The Flam. Gas 1, H220; Press. Gas C, H280	<10.0%

Additional information: For the wording of the listed risk phrases refer to section 16.

– GE



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2015 Version number 11 Revision: 15.09.2015

Trade name: Polyurethane Foam Cleaner

(Contd. of page 2)

### **SECTION 4: First aid measures**

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

Use a respiratory bag or breathing device.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Stupor

Headache

Unconsciousness

Coughing

Nausea

Disziness

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- Extinguishing media
- Suitable extinguishing agents:

Carbon dioxide

Water spray

Fire-extinguishing powder

Alcohol resistant foam

Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information Cool endangered receptacles with water spray.

### **SECTION 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Do not breathe gas/fumes/vapour/spray.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2015 Version number 11 Revision: 15.09.2015

Trade name: Polyurethane Foam Cleaner

(Contd. of page 3)

· Methods and material for containment and cleaning up:

Allow to evaporate.

Ensure adequate ventilation.

· Reference to other sections See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- · Handling:
- Precautions for safe handling

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility:

Store away from oxidising agents.

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

Further information about storage conditions:

Store in vertical position in closed original containers.

Store at temperature from + 5 °C to + 30 °C.

Protect from heat and direct sunlight.

Store under lock and key and out of the reach of children.

• Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

Ingredients with limit values that	require monitoring at the workplace:
------------------------------------	--------------------------------------

CAS: 67-64-1 acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

CAS: 141-78-6 ethyl acetate

WEL | Short-term value: 400 ppm

Long-term value: 200 ppm

CAS: 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

(Contd. on page 5)



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2015 Version number 11 Revision: 15.09.2015

Trade name: Polyurethane Foam Cleaner

(Contd. of page 4)

CAS: 106-97-8 butane

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Rubber gloves

Plastic gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

- Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Aerosol
Colour: Colorless
Odour: Characteristic

(Contd. on page 6)



Page 6/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2015 Version number 11 Revision: 15.09.2015

Trade name: Polyurethane Foam Cleaner

		(Contd. of page
Change in condition		
Melting point/Melting range	e: -160 °C	
Boiling point/Boiling range		
Flash point:	-10 °C	
Self-igniting:	> +365 °C	
Danger of explosion:	Heating may cause an explosion.	
Explosion limits:		
Oxidising properties	Extremely flammable.	
Vapour pressure at 20 °C:	>500 kPa	
Density:	Not determined.	
Solubility in / Miscibility with	1	
water:	Soluble.	
Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

No decomposition if used according to specifications.

- Possibility of hazardous reactions Reacts with oxidising agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Avoid contact with other chemicals.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- Information on toxicological effects
- · Acute toxicity

CAS: 141-	-78-6 ethy	/l acetate
Oral	LD50	>200 mg/kg (fish)
		5620 mg/kg (rabbit)
Inhalative	LC50/4h	1600 mg/l (rat)
CAS: 67-6	4-1 aceto	one
Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)
Inhalative	LC50/4h	7.5 mg/l (fish)
CAS: 67-6	3-0 propa	an-2-ol
Oral	LD50	>100 mg/kg (fish)
		(Contd. on pa

(Contd. on page /)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2015 Version number 11 Revision: 15.09.2015

Trade name: Polyurethane Foam Cleaner

(	Contd.	of	page	6

		5045 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/4h	30 mg/l (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure

May cause drowsiness or dizziness.

- \* STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

· Toxicity

· Aquati	c toxicity:
CAS: 67	7-63-0 propan-2-ol
EC50 >	>100 mg/kg (daphnia)
CAS: 14	41-78-6 ethyl acetate
EC50 >	>700 mg/kg (daphnia)
CAS: 6	7-64-1 acetone
EC50 1	10 mg/kg (daphnia)

- · Persistence and degradability Easily biodegradable
- Behaviour in environmental systems:
- · Bioaccumulative potential Not worth-mentioning accumulating in organisms
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2015 Version number 11 Revision: 15.09.2015

**Trade name: Polyurethane Foam Cleaner** 

	(Contd. of page 7)
European waste catalogue	
14 06 03* other solvents and solvent mixtures	
15 01 05 composite packaging	

- Uncleaned packaging: Recommendation: Disposal must be made according to official regulations.

UN-Number	LINIAGEO
ADR, IMDG, IATA	UN1950
UN proper shipping name	
ADR	1950 AEROSOLS
IMDG	AEROSOLS
IATA	AEROSOLS, flammable
Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
Packing group	
ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F-D,S-U
Transport in bulk according to Annex	x II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 11 Revision: 15.09.2015 Printing date 15.09.2015

Trade name: Polyurethane Foam Cleaner

(Coi	ntd. of page 8)
2	
D	
UN1950, AEROSOLS, 2.1	
	2 D

### **SECTION 15: Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases, Hazard Category 1

Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas C: Gases under pressure: Compressed gas

Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3